

化学療法実施計画書（投与日程）

レジメン名 = 大腸癌TS-1 + 隔週CPT-11 (IRIS)

(対象疾病 = _____)

《初回開始日》 _____ 年 _____ 月 _____ 日

今回 [_____] クール目

身長 = _____ cm
 体重 = _____ kg
 体表面積 = _____ m²
 Ccr = _____

担当医	

薬剤 (商品名, 一般名)	1日投与量 (/m ² or /kg)	投与方法 点静・静注 経口	投与時間 (min)	1クール投与スケジュール(日目)																																			
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30						
1 イリノテカン(CPT-11)	100mg/m ²	点静	120	↓																																			
2 TS-1	80mg/m ² *	経口	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓																						
体表面積																																							
★TS-1	1.25m ² 未満	40mg × 2回/日																																					
	1.25~1.5m ² 未満	50mg × 2回/日																																					
	1.5m ² 以上	60mg × 2回/日																																					
前投薬	5-HT ₃ 拮抗薬	1A		↓																																			
	デキサメタゾン	6.6mg	点静	↓																																			
投与日程																																							
副作用																																							
1クール期間	28日	クール回数																																					
休薬期間																																							
☆予想される重篤副作用				骨髄抑制、下痢・嘔吐、腸炎、消化管出血、間質性肺炎																																			
☆副作用対策				補液、制吐剤																																			
☆実施中止条件	生化学項目 副作用 その他			PS3以上、あるいはCPT-11投与7日前までにPS2であればスキップして次のコースへ 重篤な骨髄抑制、高度な下痢など																																			