エンボス

化学療法実施計画書(投与日程)

レジメン名=皮膚悪性リンパ腫CHOP (対象疾病=)

《初回開始日<u>》 年 月 日</u> 今回〔 〕クール目 身 長= cm <u>担当医</u> 体 重= kg 体表面積= m² Ccr = ____

	薬剤	1日投与量	投与法	投与時間	15	7—)	レ投	与ス	(ケ:	ジュ	<u>—</u> ,	レ(E	目)																		
	(商品名, 一般名)	(/m² or /kg)	点静∙静注	(min)	1	2	3 4	1 5	6	7	8	9	10	11	12	13	14	15	16 1	17	18 1	19	20 2	21	22	23	24 2	25 2	26 2	7 2	8 2	9 30
1	オンコビン(VCR)	1.4mg/ m ੰ	点静	全開			.]_	T	1_								Π.	\Box	Π]					Π.	Ι.	Π.		\Box
_2	アドリアシン(ADM)	50mg/ 	<u>点</u> 静 点静	30		L _ .	- 4-	4_	1_	<u> </u>						_ -		_	_ ↓	_			_		_		_	. 4.	_ ↓.	. ↓ .	. L .	_
	エンドキサン(CPA)	750mg/ m i	点静	120	Ļ↓∣	LI-	4-	4.	 	<u> </u>				_		_ -	_ 4.	_	_	_	_ _	.	_	_	_		-	. 4.	_	- -	_ 	_ _
_4	プレドニゾロン(PSL)	100mg/body	経口				<u>↑</u> - -	⁄ 	-	-						-		- +	-	- -	- -				-		-		-	-	- -	-
前	5-HT₃拮抗薬	1A	点静	全開	Ţ														1			1	1							\dagger		\top
投薬]]][ΙΞ]]][]	_]]]	- [] :			
薬						.	_] _]_	Ι_						[_] .	_]	_ [_[_] .			[_].	_] .			
投			 		ļ _	-	- 4-	4_	 	<u> </u>				 		-	_ 4.	- 4	- ‡	- -	_ _	.	_	_	_		-	- 4.	_	-	-	_ _ 4
厚			 			-	- 4-	4-	 	 						-	- 4.	- 4	-	- -	- -		_	_			-	. 4.	_	-	- -	_
ᄪ			 			-		4-	+ -							-		- +	- +	- -	- -						-		- # -	-	-	-
当			<u> </u>				<u> </u>	+	+	$\frac{1}{1}$					\dashv	\dashv	+	+	+	+	+	+	÷			+	+	+	+	+	+	₩
一一			 			-		-	 -							-	-	- 🕂	- †	- -	- -				- 1		-		- + .	-	- -	-
投与日程副作用					 	-		1-	† -	-						-		- †	- †	- -	- -			- 1	-		-		- † -	- † -	- -	-
///																																
	休薬期間									1																						
	☆予想される		白血球・血/	小板減少、	骨骼	迶機	能不	全、	易	感乳	반性																					
	重篤副作用		吐気、嘔吐																													
	☆副作用対策		G−CSF使用	G-CSF使用、制吐剤使用、ビタミン剤使用																												
		生 //. 坐 == 口	ПТ 16K ДР																													
		生化学項目	肝機能	: +rn #u																												
		副作用 その他	重度の骨髄抑制																													